

Article

Picture

815.2366B

TERMINAL BLOCK T85 35mmq 750V AC WHITE



| Master data | | | |
|---------------------------------|---------------|--|--|
| Minimum order | 10 NR | | |
| Net Weight | 0.418 KG | | |
| EAN code | 8001636150956 | | |
| Harmonized System Code (HSCode) | 85369010 | | |

| TechData | | | | |
|-------------------------|--------------------|--|--|--|
| Commercial series | CONNECTO Series | | | |
| Synthetical description | TERMINAL BLOCK T85 | | | |
| Connecting capacity | 35mm² | | | |
| Rated voltage | 750V | | | |
| Dimensions | 264x46x39mm | | | |
| Pitch | 22mm | | | |
| Ø fixing hole | 5,5mm | | | |
| Colour | WHITE | | | |

Approvals and Certifications



Declaration of conformity



I.M.Q. - ENEC 03European Norms Electrical Certification



EAC Eurasian Conformity

| Packaging | | | |
|--------------|---------------|--|--|
| Description | Carton | | |
| Quantity | 40 | | |
| EAN code | 8001636581934 | | |
| Gross weight | 17.76 KG | | |

Standards and Laws



CEI EN 60998-1 (1993) [Italian Standard] Connecting devices for low-voltage circuits for household and similar purposes Part 1: General requirements



CEI EN 60998-2-1 (1993)

[Italian Standard] Connecting devices for low voltage circuits for household and similar purposesConnecting devices for low voltage circuits for household and similar purposes Part 2-1: Particular requirements for connecting devices as separate entities

Annexed



Technical drawing [DWG]

WebService:

13/05/2019



| Volume | 36800 CCM | | |
|--------------|------------------|--|--|
| Dimensions | 320x460x250 (MM) | | |
| | | | |
| Description | Box | | |
| Quantity | 10 | | |
| EAN code | 8001636581927 | | |
| Gross weight | 4.44 KG | | |
| Volume | 5890.104 CCM | | |
| Dimensions | 198x268x111 (MM) | | |
| | | | |



Technical drawing [PDF]



Technical drawing [STP]

| | | Note: | |
|---|--|-------|---|
| > | Max. service temperature - continuous duty: 85°C. | x | - |
| > | Captive screws of zinc-plated steel | × | |
| > | 12 poles | × | |
| > | Nickel-plated brass terminal | × | |
| > | Self-extinguishing material in compliance with IEC 60695-2-1 standard 850°C. | x | |
| > | Engineering plastic casing | × | |