

PRELIMINARY-PRODUCT DATASHEET LINEAR HOUSING 900 1XTUBE UVC SENSOR WT

UVC LINEAR HOUSING | Metal housing with PIR sensor for germicidal lamps



AREAS OF APPLICATION

- Hospitals
- Pharmacies
- Reception areas
- Hotels
- Production and assembly facilities
- Offices

PRODUCT BENEFITS

- Highly effective purification and sterilization
- Safety ensured thanks to automatic switch off when people are detected in UV workspace
- 3 years quarantee

PRODUCT FEATURES

- Housing dedicated to T8 UVC G13
- Built-in IR sensor, safety kit with 30 seconds start delay
- Available in two lengths
- Anti-UV coating
- Easy operation and installation
- Equipped with a sensor fixed to the product



TECHNICAL DATA

Electrical data

Operating mode	Electronic control gear (ECG)	
Nominal voltage	220240 V	
Mains frequency	50/60 Hz	

Luminaire sensor data

Sensor technology	Passive infrared (PIR)
Sensor detection angle	360 °
Sensor controlled switching time	30 s

Dimensions & weight

Length	1061 mm
Width	54.0 mm
Height	75.0 mm
Product weight	950.00 g

Colors & materials

Product color	White
Housing color	White
Body material	Steel 1)

 $^{^{1)}}$ Sensor made of PC/PE (anti-UVC) $\,$

Additional product data

Mounting type	Surface	
Mounting location	Wall / Ceiling	
Equipped/equippable with	UVC-T8 30W G13 (not for LED tube)	

Capabilities

Dimmable	No
Type of connection	Terminal
Holder designation	G13

Certificates & standards

Type of protection	IP20
Protection class	1
Luminaire with limited surface temperature, class "D"	

LOGISTICAL DATA

August 18, 2020, 13:31:15
LINEAR HOUSING 900 1XTUBE UVC SENSOR WT

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4058075522060	Folding carton box 1	1075 mm x 55 mm x 45 mm	1057.00 g	2.66 dm ³
4058075522077	Shipping carton box 8	1137 mm x 287 mm x 130 mm	9359.00 g	42.42 dm ³

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

REFERENCES / LINKS

For Guarantee see

www.ledvance.com/guarantee

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.